

Okuma Australia Melbourne Head Office 3 Tampe Road Rowville Victoria

1 300 1 OKUMA

LU-S1600



Brand: Okuma Australia **Product Code:** LUS1#1600

Availability: In Stock

Weight: 0.00kg

Dimensions: 0.00cm x 0.00cm x 0.00cm

Short Description

The LU-S1600 CNC 4-axis turning center provides maximum productivity in a compact footprint.

Description

The LU-S1600 CNC 4-axis turning center provides maximum productivity in a compact footprint. The twin-turret design is highly suited for small-diameter shaft work, such as automobile cam shafts, drive shafts, balance shafts, and electrical component motor shafts. In addition, Okuma's thermo-Friendly Concept ensures superb dimensional accuracy during ambient temperature changes and machine stops, requiring less compensation work for greater productivity.

Specification

MODEL UNIT LU-S1600 Max Work Length mm 550 - 1,000

Max Turning Dia ? mm 160

Spindle Speed min-1 40 to 4,000 [50 to 6,000]

Turret type (both 6 angles

upper/lower)

Motor

Floor Space mm 2,440 x 1,980 (3,235 x 2,282)

Spec

T Turning only

M Multitasking specs (M-tool)

W Sub-spindle specs (W-axis)

MY Multitasking + Y-axis specs

MYW Multitasking + Y-axis + Sub-spindle specs (W-axis)

Product Gallery

